

Product Information

A PRODUCT OF THE VALVOLINE COMPANY A DIVISION OF ASHLAND INC.



Valvoline MaxLife Coolant AF 50/50 RTU

2000/09

Description

Valvoline MaxLife Coolant AF 50/50 RTU (ready to use) coolant especially formulated for higher-mileage vehicles with over 100.000 km. The product is designed to help maximize the engine's cooling system lifespan and protect it from corrosion and hard water scale deposits. MaxLife Coolant AF 50/50 RTU is suitable for cast-iron as well as aluminium engines. By keeping the cooling system clean and free from scale, the thermal transfer will be optimal. This formulation contains extra anti-scaling and anti-corrosion inhibitors to prevent the build-up of these deposits and keep the cooling system working efficiently. MaxLife Coolant AF 50/50 RTU (ready to use) should not be mixed with water. Protects the cooling system against freezing and over-heating.



Advantages

- Contains long life corrosion inhibitors.
- Protects against rust, corrosion, hard water scale and deposits.
- Lubricates gaskets and seals.
- Maintains heat transfer surfaces.

Approvals / Performance Levels

ASTM	D3306	D4985	
SAE	J1034	J814C	1941
GM	1825M 1	899M	

Properties

Test	Typical Property
Freezing Protection: Ready to use product °C	-38
Data of the concentrate: Specific Gravity ; g/cm ³ @ 25°C	1.12
Boiling Point °C	166 min.
Flash Point °C PMCC	>120
Hard water stability	stable
Colour	Red

Contains mono ethylene glycol

This information only applies to products manufactured in the following location(s): Europe

Effective Date:	Expiration Date:	Replaces:	Author's Initials:	Pages:	Code:
20/10/2004	N/A	10/07/2004	AdG	1	

The information contained herein is correct to the best of our knowledge. The recommendations or suggestions contained in this bulletin are made without guarantee or representation as to results. We suggest that you evaluate these recommendations and suggestions in your own laboratory prior to use. Our responsibility for claims arising from breach of warranty, negligence, or otherwise is limited to the purchase price of the material. Freedom to use any patent owned by Ashland or others is not to be inferred from any statement contained herein.